ANCHORMELT 526



Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Trade name: ANCHORMELT 526

Product Code: 1326

1.2 Relevant identified uses of the substance or misture and uses advised against

Use of the substance/ For industrial use only

mixture:

1.3 Details of the supplier of the safety data sheet

Company: Redwood UK Ltd
Address: 18 Arnside Road

Waterlooville PO7 7UP

Email: sales@redwood-uk.com

1.4 Emergency telephone number

02392 233310 (0800-1600 Mon-Fri)

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 (CLP) Not classified.

Futher Information

During use, the product is applied at elevated temperatures, exposing the user to the possibility of severe burns unless suitable precautions are taken. Exposure to high levels of fumes at application temperature may cause irritation of the eyes and respiratory tract. If adhesive is overheated, especially using a naked flame, it will burn. Excessive fuming indicates overheating. Product may accumulate static charges.

2.2 Label Elements

According to Regulation EC No 1272/2008 (CLP):

No Label elements according to Regulation (EC) No 1272/2008.

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable.

3.2 Mixtures

No hazardous substance(s) required for disclosure. Product is a hot melt adhesive based on thermoplastic polymers.



Section 4: First Aid Measures

4.1 Description of first aid measures

General information Get medical attention if symptoms occur. Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Take off contaminated clothing and

shoes immediately.

Inhalation If exposed to excessive levels of fume from hot product

remove to fresh air and get medical attention. Cold product

does not pose an inhalation hazard.

Ingestion In the unlikely event of ingestion seek medical advice.

Skin contact Contact with cold product does not present a hazard. If

burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water and seek medical advice for removal of adhering material and

treatment of burn. Adhesive may be softened with olive oil or liquid paraffin. When hot melt removed treat as thermal burn.

Eye contact If hot product enters eye flush area with large quantity of

clean, cold water. Urgently seek medical assistance.

Section 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide

Earth Sand Foam

Unsuitable Water should not be used as burning product may

extinguishing float on water.

5.2 Special hazards arising from the substance or mixture

Specific hazards / Harmful vapours including smoke, fume, incomplete

Hazardous combustion products, oxides of carbon and

combustion flammable hydrocarbons.

5.3 Protetice Equiptment

Self contained respiratory equipment should be worn.

Further Information

Contaminated extinguishing water must be disposed of in accordance with local or national

ANCHORMELT 526



Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

6.2 Environmental precautions

Environmental precautions Prevent material from entering watercourses or

sewers. Advise authorities if material enters watercourses or sewers. Place in suitable

container for disposal.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up:Clean up spilled material and place in suitable

containers for reuse or disposal. If hot product is spilt allow to cool and take up mechanically.

Section 7: Handling and storage

7.1 Precautions for safe handling

No special requirements provided the product is used correctly.

7.2 Conditions for safe storage, including any incompatibilities

Store in a clean dry place at temperatures between 5°C and 30°C with containers kept closed. Use oldest stock first.

Section 8: exposure controls/personal protection

8.1 Control parameters

This product has been dusted with talc to reduce issues of clumping. Talc is a source of respirable quartz silica. If there is a possibility that dust can be generatedduring processing we recommend that the total airborne dust needs to bemaintained below 10µg/m³ by good ventilation (>5 air exchanges per hour) or by local exhaust ventilation.

8.2 Engineering controls

Handle in accordance with good industrial hygiene and safety practice. Where contact may occur with hot materials, wear thermal resistant gloves, arm protection and a face shield. During processing adequate ventilation is required. The use of local exhaust ventilation is recommended to control fumes.

ANCHORMELT 526



Section 9: Physicsal and chemical properties

Form Solid at ambient temperatures, liquid at

application temperatures.

Colour White(Pigmented).

Odour Slight Resinous.

Odour Threshold No applicable information available.

pH Value No applicable information available, product is not

readily soluble in water.

Softening Point 102°C (typical).

Boiling Point No applicable information available. Based on

composition expected to be >250°C.

Flash Point No applicable information available. Based on

composition expected to be >250°C.

Evaporation Rate No applicable information available. Based on

composition expected to be >250°C.

Flammability Combustible but not flammable.

Explosion Limits No applicable information available. Product is a

non-volatile solid.

Vapour Pressure No applicable information available. Product is a

non-volatile solid at ambient temperatures.

Density 1.01 g/cm³ @ 23°C.

Solubility in Water No applicable information available. Based on

composition expected to be negligible.

Autoignition No applicable information available. Based on

Temperature composition expected to be > 250°C.

Decomposition No applicable information available. Based on

Temperature composition expected to be > 250°C.

Viscosity Solid at ambient temperatures, liquid at

application temperatures.

Explosive Not explosive.

Properties

9.2 Other information

No data available

ANCHORMELT 526



Section 10: Stability and reactivity

10.1 Reactivity

Limited chemical reactivity. No hazardous reactions if stored and handled as prescribed/ indicated. Adding water to molten product will cause foaming and spitting.

10.2 Chemical Stability

Chemically stable. Prone to slow degradation when heated at application temperatures.

10.3 Conditions to avoid

Strong oxidising agents.

10.4 Hazardous Decomposition Products

Include carbon dioxide, carbon monoxide and low molecular weight hydrocarbons.

Section 11: Toxilogical information

11.1 Information on toxicological effects

Acute toxicity

Non toxic after a single exposure.

Irritation

Mixture not considered to be irritating to skin and eyes.

Respiratory/Skin Sensitisation

Mixture not considered to be a sensisitiser.

Germ Cell Mutagenicity

Based on knowledge of the raw materials not expected to be a mutagenic.

Carcinogenicity

Based on information on raw materials not expected to have any carcinogenic effect.

Reproductive Toxicity

Based on information on raw materials not expected to have any toxic effect on reproduction.

Specific Target Organ Toxicity (STOT) (single exposure)

Based on information on raw materials no specific target organ toxicity to be expected.

Specific Target Organ Toxicity (STOT) (repeated exposure)

Based on information on raw materials no specific target organ toxicity to be expected.

Aspiration Hazard

Not applicable.

ANCHORMELT 526



12.1 Toxicity

Based on a knowledge of the raw materials not expected to be toxic.

12.2 Persistence and degradability

Based on a knowledge of the raw materials not expected to biodegrade.

12.3 Bioaccumulative potential

Based on a knowledge of the raw materials not expected to bioaccumulate.

12.4 Mobility in soil

Based on a knowledge of the raw materials no adsorption is expected.

12.5 Results of PBT and vPvB assessment

Not assessed.

Section 13: Disposal considerations

13.1 Waste treatment methods

Disposal recommendations are based on material as supplied.

Suitable routes of disposal are supervised incineration, preferentially with energy recovery, or appropriate recycling methods in accordance with applicable regulations and material characteristics at the time of disposal.

Care should be taken to ensure compliance with EC, national and local regulations. In the UK Environmental Protection (Duty of Care) Regulations and amendments should be noted.

Section 14: Transport information

Land

Not regulated for road/rail transport.

Inland Waterways

Not regulated for inland waterways transport.

Sea

Not regulated for sea transport.

Air

Not regulated for air transport.

ANCHORMELT 526



Section 15:Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

All applicable legislation listed in other parts of this safety data sheet.

15.2 Chemical safety assessment

Not conducted.

Section 16: Other information Full text of H-Statements

This safety data sheet has been prepared according to Regulation (EU) No 2015/830 (amending Regulation (EC) No 1907/2006)

References: Sources of information used in preparing this SDS include supplier safety data sheets, information from European Chemicals Agency (ECHA) and other sources as appropriate.

Safety Data Sheet ANCHORMELT 526



ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw -Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Cana-da); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - In-ternational Air Transport Association; IBC - International Code for the Construction and Equip-ment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentra-tion; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Mari-time Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisa-tion for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc-es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-tion, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, infor-mation and belief at the date of its publication. The information given is designed only as a guid-ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.